

CRITICAL VALUES OF THE *F* DISTRIBUTION

The obtained *F* is significant at a given level if it is equal to or greater than the value shown in the table. The $\alpha=0.05$ points on the *F* distribution are shown in the top row, and the $\alpha=0.01$ points are shown in the bottom row.

The values shown are the right tail of the distribution obtained by dividing the larger variance estimate by the smaller variance estimate. To find the complementary left or lower tail for a given df and alpha level, reverse the degrees of freedom and find the reciprocal of that value in the *F* table. For example, the value cutting off the top 5 percent of the area for df of 7 and 12 is 2.85. To find the cutoff of the bottom 5 percent of the area, find the tabled value at the $(=.05)$ level for 12 and 7 df (which equals 3.57). The reciprocal is $1/3.57=0.28$. Thus, 5% of the area falls at or below an *F* of 0.28. This table is arranged as six pages. Pages 1-3 cover dfs in the numerator from 1 to 12 and pages 4-6 covers dfs from 14 to infinity.

	Degrees of freedom for numerator											
	1	2	3	4	5	6	7	8	9	10	11	12
1	161 4052	200 4999	216 5403	225 5625	230 5764	234 5859	237 5928	239 5981	241 6022	242 6056	243 6082	244 6106
2	18.51 98.49	19.00 99.01	19.16 99.17	19.25 99.25	19.30 99.30	19.33 99.33	19.36 99.34	19.37 99.36	19.38 99.38	19.39 99.40	19.40 99.41	19.41 99.42
3	10.13 34.12	9.55 30.81	9.28 29.46	9.12 28.71	9.01 28.24	8.94 27.91	8.88 27.67	8.84 27.49	8.81 27.34	8.78 27.23	8.76 27.13	8.74 27.05
4	7.71 21.20	6.94 18.00	6.59 16.69	6.39 15.98	6.26 15.52	6.16 15.21	6.09 14.98	6.04 14.80	6.00 14.66	5.96 14.54	5.93 14.45	5.91 14.37
5	6.61 16.26	5.79 13.27	5.41 12.06	5.19 11.39	5.05 10.97	4.95 10.67	4.88 10.45	4.82 10.27	4.78 10.15	4.74 10.05	4.70 9.96	4.68 9.89
6	5.99 13.74	5.14 10.92	4.76 9.78	4.53 9.15	4.39 8.75	4.28 8.47	4.21 8.26	4.15 8.10	4.10 7.98	4.06 7.87	4.03 7.79	4.00 7.72
7	5.59 12.25	4.74 9.55	4.35 8.45	4.12 7.85	3.97 7.46	3.87 7.19	3.79 7.00	3.73 6.84	3.68 6.71	3.63 6.62	3.60 6.54	3.57 6.47
8	5.32 11.26	4.46 8.65	4.07 7.59	3.84 7.01	3.69 6.63	3.58 6.37	3.50 6.19	3.44 6.03	3.39 5.91	3.34 5.82	3.31 5.74	3.28 5.67
9	5.12 10.56	4.26 8.02	3.86 6.99	3.63 6.42	3.48 6.06	3.37 5.80	3.29 5.62	3.23 5.47	3.18 5.35	3.13 5.26	3.10 5.18	3.07 5.11
10	4.96 10.04	4.10 7.56	3.71 6.55	3.48 5.99	3.33 5.64	3.22 5.39	3.14 5.21	3.07 5.06	3.02 4.95	2.97 4.85	2.94 4.78	2.91 4.71
11	4.84 9.65	3.98 7.20	3.59 6.22	3.36 5.67	3.20 5.32	3.09 5.07	3.01 4.88	2.95 4.74	2.90 4.63	2.86 4.54	2.82 4.46	2.79 4.40
12	4.75 9.33	3.88 6.93	3.49 5.95	3.26 5.41	3.11 5.06	3.00 4.82	2.92 4.65	2.85 4.50	2.80 4.39	2.76 4.30	2.72 4.22	2.69 4.16
13	4.67 9.07	3.80 6.70	3.41 5.74	3.18 5.20	3.02 4.86	2.92 4.62	2.84 4.44	2.77 4.30	2.72 4.19	2.67 4.10	2.63 4.02	2.60 3.96
14	4.60 8.86	3.74 6.51	3.34 5.56	3.11 5.03	2.96 4.69	2.85 4.46	2.77 4.28	2.70 4.14	2.65 4.03	2.60 3.94	2.56 3.86	2.53 3.80
15	4.54 8.68	3.68 6.36	3.29 5.42	3.06 4.89	2.90 4.56	2.79 4.32	2.70 4.14	2.64 4.00	2.59 3.89	2.55 3.80	2.51 3.73	2.48 3.67
16	4.49 8.53	3.63 6.23	3.24 5.29	3.01 4.77	2.85 4.44	2.74 4.20	2.66 4.03	2.59 3.89	2.54 3.78	2.49 3.69	2.45 3.61	2.42 3.55
17	4.45 8.40	3.59 6.11	3.20 5.18	2.96 4.67	2.81 4.34	2.70 4.10	2.62 3.93	2.55 3.79	2.50 3.68	2.45 3.59	2.41 3.52	2.38 3.45
18	4.41 8.28	3.55 6.01	3.16 5.09	2.93 4.58	2.77 4.25	2.66 4.01	2.58 3.85	2.51 3.71	2.46 3.60	2.41 3.51	2.37 3.44	2.34 3.37

CRITICAL VALUES OF THE F DISTRIBUTION (2/6)

	Degrees of freedom for numerator											
	1	2	3	4	5	6	7	8	9	10	11	12
19	4.38 8.18	3.52 5.93	3.13 5.01	2.90 4.50	2.74 4.17	2.63 3.94	2.55 3.77	2.48 3.63	2.43 3.52	2.38 3.43	2.34 3.36	2.31 3.30
20	4.35 8.10	3.49 5.85	3.10 4.94	2.87 4.43	2.71 4.10	2.60 3.87	2.52 3.71	2.45 3.56	2.40 3.45	2.35 3.37	2.31 3.30	2.28 3.23
21	4.32 8.02	3.47 5.78	3.07 4.87	2.84 4.37	2.68 4.04	2.57 3.81	2.49 3.65	2.42 3.51	2.37 3.40	2.32 3.31	2.28 3.24	2.25 3.17
22	4.30 7.94	3.44 5.72	3.05 4.82	2.82 4.31	2.66 3.99	2.55 3.76	2.47 3.59	2.40 3.45	2.35 3.35	2.30 3.26	2.26 3.18	2.23 3.12
23	4.28 7.88	3.42 5.66	3.03 4.76	2.80 4.26	2.64 3.94	2.53 3.71	2.45 3.54	2.38 3.41	2.32 3.30	2.28 3.21	2.24 3.14	2.20 3.07
24	4.26 7.82	3.40 5.61	3.01 4.72	2.78 4.22	2.62 3.90	2.51 3.67	2.43 3.50	2.36 3.36	2.30 3.25	2.26 3.17	2.22 3.09	2.18 3.03
25	4.24 7.77	3.38 5.57	2.99 4.68	2.76 4.18	2.60 3.86	2.49 3.63	2.41 3.46	2.34 3.32	2.28 3.21	2.24 3.13	2.20 3.05	2.16 2.99
26	4.22 7.72	3.37 5.53	2.89 4.64	2.74 4.14	2.59 3.82	2.47 3.59	2.39 3.42	2.32 3.29	2.27 3.17	2.22 3.09	2.18 3.02	2.15 2.96
27	4.21 7.68	3.35 5.49	2.96 4.60	2.73 4.11	2.57 3.79	2.46 3.66	2.37 3.39	2.30 3.26	2.25 3.14	2.20 3.06	2.16 2.98	2.13 2.93
28	4.20 7.64	3.34 5.45	2.95 4.57	2.71 4.07	2.56 3.76	2.44 3.53	2.36 3.36	2.29 3.23	2.24 3.11	2.19 3.03	2.15 2.95	2.12 2.90
29	4.18 7.60	3.33 5.52	2.93 4.54	2.70 4.04	2.54 3.73	2.43 3.50	2.35 3.32	2.28 3.20	2.22 3.08	2.18 3.00	2.14 2.92	2.10 2.87
30	4.17 7.56	3.32 5.39	2.92 4.51	2.69 4.02	2.53 3.70	2.42 3.47	2.34 3.30	2.27 3.17	2.21 3.06	2.16 2.98	2.12 2.90	2.09 2.84
32	4.15 7.50	3.30 5.34	2.90 4.46	2.67 3.97	2.51 3.66	2.40 3.42	2.32 3.25	2.25 3.12	2.19 3.01	2.14 2.94	2.10 2.86	2.07 2.80
34	4.13 7.44	3.28 5.29	2.88 4.42	2.65 3.93	2.49 3.61	2.38 3.38	2.30 3.21	2.23 3.08	2.17 2.97	2.12 2.89	2.08 2.82	2.05 2.76
36	4.11 7.39	3.26 5.25	2.86 4.38	2.63 3.89	2.48 3.58	2.36 3.35	2.28 3.18	2.21 3.04	2.15 2.94	2.10 2.86	2.06 2.78	2.03 2.72
38	4.10 7.35	3.25 5.21	2.85 4.34	2.62 3.86	2.46 3.54	2.35 3.32	2.26 3.15	2.19 3.02	2.14 2.91	2.09 2.82	2.05 2.75	2.02 2.69
40	4.08 7.31	3.23 5.18	2.84 4.31	2.61 3.83	2.45 3.51	2.34 3.29	2.25 3.12	2.18 2.99	2.12 2.88	2.07 2.80	2.04 2.73	2.00 2.66
42	4.07 7.27	3.22 5.15	2.83 4.29	2.59 3.80	2.44 3.49	2.32 3.26	2.24 3.10	2.17 2.96	2.11 2.86	2.06 2.77	2.02 2.70	1.90 2.64
44	4.06 7.24	3.21 5.12	2.82 4.26	2.58 3.78	2.43 3.46	2.31 3.24	2.23 3.07	2.16 2.94	2.10 2.84	2.05 2.75	2.01 2.68	1.98 2.62
46	4.05 7.21	3.20 5.10	2.81 4.24	2.57 3.76	2.42 3.44	2.30 3.22	2.22 3.05	2.14 2.92	2.09 2.82	2.04 2.73	2.00 2.66	1.97 2.60
48	4.04 7.19	3.19 5.08	2.80 4.22	2.56 3.74	2.41 3.42	2.30 3.20	2.21 3.04	2.14 2.90	2.08 2.80	2.03 2.71	1.99 2.64	1.96 2.58
50	4.03 7.17	3.18 5.06	2.79 4.20	2.56 3.72	2.40 3.41	2.29 3.18	2.20 3.02	2.13 2.88	2.07 2.78	2.02 2.70	1.98 2.62	1.95 2.56

CRITICAL VALUES OF THE F DISTRIBUTION (3/6)

	Degrees of freedom for numerator											
	1	2	3	4	5	6	7	8	9	10	11	12
55	4.02	3.17	2.78	2.54	2.38	2.27	2.18	2.11	2.05	2.00	1.97	1.93
	7.12	5.01	4.16	3.68	3.37	3.15	2.98	2.85	2.75	2.66	2.59	2.53
60	4.00	3.15	2.76	2.52	2.37	2.25	2.17	2.10	2.04	1.99	1.95	1.92
	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.56	2.50
65	3.99	3.14	2.75	2.51	2.36	2.24	2.15	2.08	2.02	1.98	1.94	1.90
	7.04	4.95	4.10	3.62	3.31	3.09	2.93	2.79	2.70	2.61	2.54	2.47
70	3.98	3.13	2.74	2.50	2.35	2.32	2.14	2.07	2.01	1.97	1.93	1.89
	7.01	4.92	4.08	3.60	3.29	3.07	2.91	2.77	2.67	2.59	2.51	2.45
80	3.96	3.11	2.72	2.48	2.33	2.21	2.12	2.05	1.99	1.95	1.91	1.88
	6.96	4.88	4.04	3.56	3.25	3.04	2.87	2.74	2.64	2.55	2.48	2.41
100	3.94	3.09	2.70	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85
	6.90	4.82	3.98	3.51	3.20	2.99	2.82	2.69	2.59	2.51	2.43	2.36
125	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.90	1.86	1.83
	6.84	4.78	3.94	3.47	3.17	2.95	2.79	2.65	2.56	2.47	2.40	2.33
150	3.91	3.06	2.67	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.85	1.82
	6.81	4.75	3.91	3.44	3.13	2.92	2.76	2.62	2.53	2.44	2.37	2.30
200	3.89	3.04	2.65	2.41	2.26	2.14	2.05	1.98	1.92	1.87	1.83	1.80
	6.76	4.71	3.38	3.41	3.11	2.90	2.73	2.60	2.50	2.41	2.34	2.28
400	3.86	3.02	2.62	2.39	2.23	2.12	2.03	1.96	1.90	1.85	1.81	1.78
	6.70	4.66	3.83	3.36	3.06	2.85	2.69	2.55	2.46	2.37	2.29	2.23
1000	3.85	3.00	2.61	2.38	2.22	2.10	2.02	1.95	1.89	1.84	1.80	1.76
	6.66	4.62	3.80	3.34	3.04	2.82	2.66	2.53	2.43	2.34	2.26	2.20
∞	3.84	2.99	2.60	2.37	2.21	2.09	2.01	1.94	1.88	1.83	1.79	1.75
	6.64	4.60	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.24	2.18

CRITICAL VALUES OF THE F DISTRIBUTION (4/6)

The obtained F is significant at a given level if it is equal to or greater than the value shown in the table. The $\alpha=0.05$ points on the F distribution are shown in the top row, and the $\alpha=0.01$ points are shown in the bottom row.

The values shown are the right tail of the distribution obtained by dividing the larger variance estimate by the smaller variance estimate. To find the complementary left or lower tail for a given df and α level, reverse the degrees of freedom and find the reciprocal of that value in the F table. For example, the value cutting off the top 5 percent of the area for df of 7 and 12 is 2.85. To find the cutoff of the bottom 5 percent of the area, find the tabled value at the $\alpha=0.05$ level for 12 and 7 df (which equals 3.57). The reciprocal is $1/3.57=0.28$. Thus, 5% of the area falls at or below an $F=0.28$.

	Degrees of freedom for numerator											
	14	16	20	24	30	40	50	75	100	200	500	∞
1	245 6142	246 6169	248 6208	249 6234	250 6258	251 6286	252 6302	253 6323	253 6334	254 6352	254 6361	254 6366
2	19.42 99.43	19.43 99.44	19.44 99.45	19.45 99.46	19.46 99.47	19.47 99.48	19.47 99.48	19.48 99.49	19.49 99.49	19.49 99.49	19.50 99.50	19.50 99.50
3	8.71 26.92	8.69 26.83	8.66 26.69	8.64 26.60	8.62 26.50	8.60 26.41	8.58 26.30	8.57 26.27	8.56 26.23	8.54 26.18	8.54 26.14	8.53 26.12
4	5.87 14.24	5.84 14.15	5.80 14.02	5.77 13.93	5.74 13.83	5.71 13.74	5.70 13.69	5.68 13.61	5.66 13.57	5.65 13.52	5.64 13.48	5.63 13.46
5	4.64 9.77	4.60 9.68	4.56 9.55	4.53 9.47	4.50 9.38	4.46 9.29	4.44 9.24	4.42 9.17	4.40 9.13	4.38 9.07	4.37 9.04	4.36 9.02
6	3.96 7.60	3.92 7.52	3.87 7.39	3.84 7.31	3.81 7.23	3.77 7.14	3.75 7.09	3.72 7.02	3.71 6.99	3.69 6.94	3.68 6.90	3.67 6.88
7	3.52 6.35	3.49 6.27	3.44 6.15	3.41 6.07	3.38 5.98	3.34 5.90	3.32 5.85	3.29 5.78	3.28 5.75	3.25 5.70	3.24 5.67	3.23 5.65
8	3.23 5.56	3.20 5.48	3.15 5.36	3.12 5.28	3.08 5.20	3.05 5.11	3.03 5.06	3.00 5.00	2.98 4.96	2.96 4.91	2.94 4.88	2.93 4.86
9	3.02 5.00	2.98 4.92	2.93 4.80	2.90 4.73	2.86 4.64	2.82 4.56	2.80 4.51	2.77 4.45	2.76 4.41	2.73 4.36	2.72 4.33	2.71 4.31
10	2.86 4.60	2.82 4.52	2.77 4.41	2.74 4.33	2.70 4.25	2.67 4.17	2.64 4.12	2.61 4.05	2.59 4.01	2.56 3.96	2.55 3.93	2.54 3.91
11	2.74 4.29	2.70 4.21	2.65 4.10	2.61 4.02	2.57 3.94	2.53 3.86	2.50 3.80	2.47 3.74	2.45 3.70	2.42 3.66	2.41 3.62	2.40 3.60
12	2.64 4.05	2.60 3.98	2.54 3.86	2.50 3.78	2.46 3.70	2.42 3.61	2.40 3.56	2.36 3.49	2.35 3.46	2.32 3.41	2.31 3.38	2.30 3.36
13	2.55 3.85	2.51 3.78	2.46 3.67	2.42 3.59	2.38 3.51	2.34 3.42	2.32 3.37	2.28 3.30	2.26 3.27	2.24 3.21	2.22 3.18	2.21 3.16
14	2.48 3.70	2.44 3.62	2.39 3.51	2.35 3.43	2.31 3.34	2.27 3.26	2.24 3.21	2.21 3.14	2.19 3.11	2.16 3.06	2.14 3.02	2.13 3.00
15	2.43 3.56	2.39 3.48	2.33 3.36	2.29 3.29	2.25 3.20	2.21 3.12	2.18 3.07	2.15 3.00	2.12 2.97	2.10 2.92	2.08 2.89	2.07 2.87
16	2.37 3.45	2.33 3.37	2.28 3.25	2.24 3.18	2.20 3.10	2.16 3.01	2.13 2.96	2.09 2.89	2.07 2.86	2.04 2.80	2.02 2.77	2.01 2.75
17	2.33 3.35	2.29 3.27	2.23 3.16	2.19 3.08	2.15 3.00	2.11 2.92	2.08 2.86	2.04 2.79	2.02 2.76	1.99 2.70	1.97 2.67	1.96 2.65
18	2.29 3.27	2.25 3.19	2.19 3.07	2.15 3.00	2.11 2.91	2.07 2.83	2.04 2.78	2.00 2.71	1.98 2.68	1.95 2.62	1.93 2.59	1.92 2.57

CRITICAL VALUES OF THE F DISTRIBUTION (5/6)

	Degrees of freedom for numerator											
	14	16	20	24	30	40	50	75	100	200	500	∞
19	2.26 3.19	2.21 3.12	2.15 3.00	2.11 2.92	2.07 2.84	2.02 2.76	2.00 2.70	1.96 2.63	1.94 2.60	1.91 2.54	1.90 2.51	1.88 2.49
20	2.23 3.13	2.18 3.05	2.12 2.94	2.08 2.86	2.04 2.77	1.99 2.69	1.96 2.63	1.92 2.56	1.90 2.63	1.87 2.47	1.85 2.44	1.84 2.42
21	2.20 3.07	2.15 2.99	2.09 2.88	2.05 2.80	2.00 2.72	1.96 2.63	1.93 2.58	1.80 2.51	1.87 2.47	1.84 2.42	1.82 2.38	1.81 2.36
22	2.18 3.02	2.13 2.94	2.07 2.83	2.03 2.75	1.98 2.67	1.93 2.58	1.91 2.53	1.87 2.46	1.84 2.42	1.81 2.37	1.80 2.33	1.78 2.31
23	2.14 2.97	2.10 2.89	2.04 2.78	2.00 2.70	1.96 2.62	1.91 2.53	1.88 2.48	1.84 2.41	1.82 2.37	1.79 2.32	1.77 2.28	1.76 2.26
24	2.13 2.93	2.09 2.85	2.02 2.74	1.98 2.66	1.94 2.58	1.89 2.49	1.86 2.44	1.82 2.36	1.80 2.33	1.76 2.27	1.74 2.23	1.73 2.21
25	2.11 2.89	2.06 2.81	2.00 2.70	1.96 2.62	1.92 2.54	1.87 2.45	1.84 2.40	1.80 2.32	1.77 2.29	1.74 2.23	1.72 2.19	1.71 2.17
26	2.10 2.86	2.05 2.77	1.99 2.66	1.95 2.58	1.90 2.50	1.85 2.41	1.82 2.36	1.78 2.28	1.76 2.25	1.72 2.19	1.70 2.15	1.69 2.13
27	2.08 2.83	2.03 2.74	1.97 2.63	1.93 2.55	1.88 2.47	1.84 2.38	1.80 2.33	1.76 2.25	1.74 2.21	1.71 2.16	1.68 2.12	1.67 2.10
28	2.06 2.80	2.02 2.71	1.96 2.60	1.91 2.52	1.87 2.44	1.81 2.35	1.78 2.30	1.75 2.22	1.72 2.18	1.69 2.13	1.67 2.09	1.65 2.06
29	2.05 2.77	2.00 2.68	1.94 2.57	1.90 2.49	1.85 2.41	1.80 2.32	1.77 2.27	1.73 2.19	1.71 2.15	1.68 2.10	1.65 2.06	1.64 2.03
30	2.04 2.74	1.99 2.66	1.93 2.55	1.89 2.47	1.84 2.38	1.79 2.29	1.76 2.24	1.72 2.16	1.69 2.13	1.66 2.07	1.64 2.03	1.62 2.01
32	2.02 2.70	1.97 2.62	1.91 2.51	1.86 2.42	1.82 2.34	1.76 2.25	1.74 2.20	1.69 2.12	1.67 2.08	1.64 2.02	1.61 1.90	1.59 1.96
34	2.00 2.66	1.95 2.58	1.89 2.47	1.84 2.38	1.80 2.30	1.74 2.21	1.71 2.15	1.67 2.08	1.64 2.04	1.61 1.98	1.59 1.94	1.57 1.91
36	1.99 2.62	1.93 2.54	1.87 2.43	1.82 2.35	1.78 2.26	1.72 2.17	1.69 2.12	1.65 2.04	1.62 2.00	1.59 1.94	1.56 1.90	-1.55 1.87
38	1.96 2.59	1.92 2.51	1.85 2.40	1.80 2.32	1.76 2.22	1.71 2.14	1.67 2.08	1.63 2.00	1.60 1.97	1.57 1.90	1.54 1.86	1.53 1.84
40	1.95 2.56	1.90 2.49	1.84 2.37	1.79 2.29	1.74 2.20	1.69 2.11	1.66 2.05	1.61 1.97	1.59 1.94	1.55 1.88	1.53 1.84	1.51 1.81
42	1.94 2.54	1.89 2.46	1.82 2.35	1.78 2.26	1.73 2.17	1.68 2.08	1.64 2.02	1.60 1.94	1.57 1.91	1.54 1.85	1.51 1.80	1.49 1.78
44	1.92 2.52	1.88 2.44	1.81 2.32	1.76 2.24	1.72 2.15	1.66 2.06	1.63 1.99	1.58 1.92	1.56 1.88	1.52 1.82	1.50 1.78	1.48 1.75
46	1.91 2.50	1.87 2.42	1.80 2.30	1.75 2.22	1.71 2.13	1.65 2.04	1.62 1.98	1.57 1.90	1.54 1.86	1.51 1.80	1.48 1.76	1.46 1.72
48	1.90 2.48	1.86 2.40	1.79 2.28	1.74 2.20	1.70 2.11	1.64 2.02	1.61 1.96	1.56 1.88	1.53 1.84	1.50 1.78	1.47 1.73	1.45 1.70
50	1.90 2.46	1.85 2.39	1.78 2.26	1.74 2.18	1.69 2.10	1.63 2.00	1.60 1.94	1.55 1.86	1.52 1.82	1.48 1.76	1.46 1.71	1.44 1.68

CRITICAL VALUES OF THE F DISTRIBUTION (6/6)

	Degrees of freedom for numerator											
	14	16	20	24	30	40	50	75	100	200	500	∞
55	1.88	1.83	1.76	1.72	1.67	1.61	1.58	1.52	1.50	1.46	1.43	1.41
	2.43	2.35	2.23	2.15	2.06	1.96	1.90	1.82	1.78	1.71	1.66	1.64
60	1.86	1.81	1.75	1.70	1.65	1.59	1.56	1.50	1.48	1.44	1.41	1.39
	2.40	2.32	2.20	2.12	2.03	1.93	1.87	1.79	1.74	1.68	1.63	1.60
65	1.85	1.80	1.73	1.68	1.63	1.57	1.54	1.49	1.46	1.42	1.39	1.37
	2.37	2.30	2.18	2.09	2.00	1.90	1.84	1.76	1.71	1.64	1.60	1.56
70	1.84	1.79	1.72	1.67	1.62	1.56	1.53	1.47	1.45	1.40	1.37	1.35
	2.35	2.28	2.15	2.07	1.98	1.88	1.82	1.74	1.69	1.62	1.56	1.53
80	1.82	1.77	1.70	1.65	1.60	1.54	1.51	1.45	1.42	1.38	1.35	1.32
	2.32	2.24	2.11	2.03	1.94	1.84	1.78	1.70	1.65	1.57	1.52	1.49
100	1.79	1.75	1.68	1.63	1.57	1.51	1.48	1.42	1.39	1.34	1.30	1.28
	2.26	2.19	2.06	1.98	1.89	1.79	1.73	1.64	1.59	1.51	1.46	1.43
125	1.77	1.72	1.65	1.60	1.55	1.49	1.45	1.39	1.36	1.31	1.27	1.25
	2.23	2.15	2.03	1.94	1.85	1.75	1.68	1.59	1.54	1.46	1.40	1.37
150	1.76	1.71	1.64	1.59	1.54	1.47	1.44	1.37	1.34	1.29	1.25	1.22
	2.20	2.12	2.00	1.91	1.83	1.72	1.66	1.56	1.51	1.43	1.37	1.33
200	1.74	1.69	1.62	1.57	1.52	1.45	1.42	1.35	1.32	1.26	1.22	1.19
	1.17	2.09	1.97	1.88	1.79	1.69	1.62	1.53	1.48	1.39	1.33	1.28
400	1.72	1.67	1.60	1.54	1.49	1.42	1.38	1.32	1.28	1.22	1.16	1.13
	2.12	2.04	1.92	1.84	1.74	1.64	1.57	1.47	1.42	1.32	1.24	1.19
1000	1.70	1.65	1.58	1.53	1.47	1.41	1.36	1.30	1.26	1.19	1.13	1.08
	2.09	2.01	1.89	1.81	1.71	1.61	1.54	1.44	1.38	1.28	1.19	1.11
∞	1.69	1.64	1.57	1.52	1.46	1.40	1.35	1.28	1.24	1.17	1.11	1.00
	2.07	1.99	1.87	1.79	1.69	1.59	1.52	1.41	1.36	1.25	1.15	1.00

Source: G. W. Snedecor and William G. Cochran (1967). Statistical Methods (6th ed). Ames, IA: Iowa State University Press.